
















DETAIL A
SCALE 1 : 3

OUTLINE DRAWING



FRONT
ISOMETRIC VIEW




REAR
ISOMETRIC VIEW

NOTE:
1. ENCLOSURE: 18" X 16" X 10".
2. MATERIAL: POLYCARBONATE.

ASME Y14.5M 2018 APPLIES	MATERIAL: NA	DRAWN: JPW	DATE DRAWN: 2016-10-26	DAIRYLAND ELECTRICAL INDUSTRIES, INC. P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY.	FINISH: NA	DWG APPROVAL: MAD	DATE APPROVAL: 07/12/2023	TITLE: ENCL1816: OUTLINE DRAWING
.XXX = ±.005" .XX = ±.01" .X = ±.03" ANGLES = ±1° 63				


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.

SHEET: OF	DWG SIZE:	SCALE:	REV:	PART #:
1 4	B	1:6	C	100100




ORDERING INSTRUCTIONS
- ENCL1816
- ANY SSD MODEL

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE. SPECIFY CENTER OR RIGHT DECOUPLER MOUNTING POSITION AT TIME OF PURCHASE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.



ORDERING INSTRUCTIONS
- ENCL1816
- ANY SSD MODEL

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE. SPECIFY CENTER OR RIGHT DECOUPLER MOUNTING POSITION AT TIME OF PURCHASE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.

ASME Y14.5M 2018 APPLIES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY. **.XXX = ±.005"** **.XX = ±.01"** **.X = ±.03"** **ANGLES = ±1°** 63	MATERIAL: **NA** FINISH: **NA**	DRAWN: **JPW** DWG APPROVAL: **MAD**	DATE DRAWN: **2016-10-26** DATE APPROVAL: **07/12/2023**	**DAIRYLAND ELECTRICAL INDUSTRIES, INC.** P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM TITLE: **ENCL1816: SSD INSTALLED VIEW**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.

SHEET: OF	DWG SIZE:	SCALE:	REV:	PART #:
2 4	B	1:6	C	100100




ORDERING INSTRUCTIONS
- ENCL1816
- ANY PCR MODEL

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE. SPECIFY CENTER OR RIGHT DECOUPLER MOUNTING POSITION AT TIME OF PURCHASE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.



ORDERING INSTRUCTIONS
- ENCL1816
- ANY PCR MODEL

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE. SPECIFY CENTER OR RIGHT DECOUPLER MOUNTING POSITION AT TIME OF PURCHASE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.


ASME Y14.5M 2018 APPLIES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY. **.XXX = ±.005"** **.XX = ±.01"** **.X = ±.03"** **ANGLES = ±1°** 63	MATERIAL: **NA** FINISH: **NA**	DRAWN: **JPW** DWG APPROVAL: **MAD**	DATE DRAWN: **2016-10-26** DATE APPROVAL: **07/12/2023**	**DAIRYLAND ELECTRICAL INDUSTRIES, INC.** P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM
		TITLE: **ENCL1816: PCR INSTALLED VIEW**		

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.

SHEET:	OF	DWG SIZE:	SCALE:	REV:	PART #:
3	4	B	1:6	C	100100




ORDERING INSTRUCTIONS
- ENCL1816





ORDERING INSTRUCTIONS
- ENCL1816


1. REMOVE THE (4) PHILLIPS SCREWS, LOCATED AT EACH CORNER OF THE ENCLOSURE.
2. PLACE THE SSD/PCR ON THE DESIRED MOUNTING LOCATION TO THE BACKPLATE.
   SEE PAGES 2 AND 3 FOR MOUNTING CONFIGURATIONS. SECURE WITH HARDWARE PROVIDED.
3. IF MOUNTNG AN SSD, WRITE THE MODEL AND SERIAL NUMBER'S OF THE UNIT LOCATED ON THE NAMEPLATE ON TO THE LABEL PROVIDED AND ATTACH LABEL TO THE CORNER OF THE INSIDE DOOR COVER.
4. INSTALL BACKPLATE ON THE ENCLOSURE AND SECURING IT WITH THE PHILLIPS SCREWS AT EACH CORNER OF THE ENCLOSURE.


ASME Y14.5M 2018 APPLIES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY. **.XXX = ±.005"** **.XX = ±.01"** **.X = ±.03"** **ANGLES = ±1°** 63	MATERIAL: **NA** FINISH: **NA**	DRAWN: **JPW** DWG APPROVAL: **MAD**	DATE DRAWN: **2016-10-26** DATE APPROVAL: **07/12/2023**	**DAIRYLAND ELECTRICAL INDUSTRIES, INC.** P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM
		TITLE: **ENCL1816: FIELD INSTALLATION OF SSD OR PCR**		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.	SHEET: 4 OF 4	DWG SIZE: B	SCALE: 1:8	REV: C / PART #: 100100













DETAIL A
SCALE 1 : 2

OUTLINE DRAWING




FRONT ANGLED VIEW



REAR ANGLED VIEW


NOTE:
1. ENCLOSURE: 24" X 24" X 10".
2. MATERIAL: POLYCARBONATE.

ASME Y14.5M 2018 APPLIES	MATERIAL: NA	DRAWN: JPW	DATE DRAWN: 2018-02-20	DAIRYLAND ELECTRICAL INDUSTRIES, INC. P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY.	FINISH: NA	DWG APPROVAL: MAD	DATE APPROVAL: 07/17/2023	
.XXX = ±.005" .XX = ±.01" .X = ±.03" ANGLES = ±1° 63		TITLE: INSTALLATION INSTRUCTIONS FOR ENCL-2424		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.	SHEET: 1 OF 5	DWG SIZE: B	SCALE: 1:8	REV: C	PART #: 100110




ORDERING INSTRUCTIONS:
- ENCL2424
- ANY SSD MODEL

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE. SPECIFY CENTER OR RIGHT DECOUPLER MOUNTING POSITION AT TIME OF PURCHASE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.




ORDERING INSTRUCTIONS:
- ENCL2424
- ANY SSD MODEL

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE. SPECIFY CENTER OR RIGHT DECOUPLER MOUNTING POSITION AT TIME OF PURCHASE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.

ASME Y14.5M 2018 APPLIES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY. **.XXX = ±.005"** **.XX = ±.01"** **.X = ±.03"** **ANGLES = ±1°** 63	MATERIAL: **NA** FINISH: **NA**	DRAWN: **JPW** DWG APPROVAL: **MAD**	DATE DRAWN: **2018-02-20** DATE APPROVAL: **07/17/2023**	**DAIRYLAND ELECTRICAL INDUSTRIES, INC.** P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM
		TITLE: **INSTALLATION INSTRUCTIONS FOR ENCL-2424**		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.	SHEET: 2 OF 5	DWG SIZE: B	SCALE: 1:8	REV: C / PART #: 100110




ORDERING INSTRUCTIONS:
- ENCL2424
- ANY PCR MODEL

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE. SPECIFY CENTER OR RIGHT DECOUPLER MOUNTING POSITION AT TIME OF PURCHASE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.




ORDERING INSTRUCTIONS:
- ENCL2424
- ANY PCR MODEL

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE. SPECIFY CENTER OR RIGHT DECOUPLER MOUNTING POSITION AT TIME OF PURCHASE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.

ASME Y14.5M 2018 APPLIES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY. **.XXX = ±.005"** **.XX = ±.01"** **.X = ±.03"** **ANGLES = ±1°** 63	MATERIAL: **NA** FINISH: **NA**	DRAWN: **JPW** DWG APPROVAL: **MAD**	DATE DRAWN: **2018-02-20** DATE APPROVAL: **07/17/2023**	**DAIRYLAND ELECTRICAL INDUSTRIES, INC.** P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM
		TITLE: **INSTALLATION INSTRUCTIONS FOR ENCL-2424**		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.	SHEET: OF **3 5**	DWG SIZE: **B**	SCALE: **1:8**	REV: **C**	PART #: **100110**




Ordering Instructions:
- ENCL2424
- ANY PCRX

NOTE: WHEN ORDERED WITH A DECOUPLER, OPTIONAL FACTORY ASSEMBLY IS AVAILABLE AT NO CHARGE.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.




NOTE: HOLE REQUIRED FOR CONDUIT - FIELD INSTALLED.


ASME Y14.5M 2018 APPLIES	MATERIAL: NA	DRAWN: JPW	DATE DRAWN: 2018-02-20	DAIRYLAND ELECTRICAL INDUSTRIES, INC. P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY.	FINISH: NA	DWG APPROVAL: MAD	DATE APPROVAL: 07/17/2023	
.XXX = ±.005" .XX = ±.01" .X = ±.03" ANGLES = ±1° 63		TITLE: INSTALLATION INSTRUCTIONS FOR ENCL-2424		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.		SHEET: 4 OF 5	DWG SIZE: B	SCALE: 1:8 / REV: C / PART #: 100110



Ordering Instructions:
- ENCL2424



Ordering Instructions:
- ENCL2424



Ordering Instructions:
- ENCL2424

NOTE:
1. REMOVE THE (6) PHILLIPS SCREWS, LOCATED AROUND THE EDGE OF THE BACKPLATE.
2. PLACE THE SSD/PCR/PCRX ON THE DESIRED MOUNTING LOCATION TO THE BACKPLATE. SEE PAGES 2, 3, AND 4 FOR MOUNTING CONFIGURATIONS. SECURE WITH HARDWARE PROVIDED.
3. IF MOUNTNG AN SSD, WRITE THE MODEL AND SERIAL NUMBERS OF THE UNIT LOCATED ON THE NAMEPLATE ON TO THE LABEL PROVIDED AND ATTACH LABEL TO THE CORNER OF THE INSIDE DOOR COVER.
4. INSTALL BACKPLATE ON THE ENCLOSURE AND SECURING IT WITH THE PHILLIPS SCREWS AT EACH CORNER OF THE ENCLOSURE.

ASME Y14.5M 2018 APPLIES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. COMPUTER-GENERATED DRAWING DO NOT EDIT MANUALLY. **.XXX = ±.005"** **.XX = ±.01"** **.X = ±.03"** **ANGLES = ±1°** 63	MATERIAL: **NA** FINISH: **NA**	DRAWN: **JPW** DWG APPROVAL: **MAD**	DATE DRAWN: **2018-02-20** DATE APPROVAL: **07/17/2023**	**DAIRYLAND ELECTRICAL INDUSTRIES, INC.** P.O. BOX 187 STOUGHTON, WI 53589 608-877-9900 DAIRYLAND.COM
		TITLE: **ENCL2424: FIELD INSTALLATION OF SSD, PCR, PCRX**		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF DIARYLAND ELECTRICAL INDUSTRIES, INC. ANY REPRODUCTION IN PART OR WHOLE, WITHOUT THE WRITTEN PERMISSION OF DIARYLAND ELECTRICAL INDUSTRIES, INC. IS PROHIBITED.	SHEET: OF **5 5**	DWG SIZE: **B**	SCALE: **1:12**	REV: **C**	PART #: **100110**